

400R/600R

SERIES SPRAYERS



JOHN DEERE

400R/600R SERIES SPRAYERS

INNOVATIVE SPRAYERS. DELIVER PERFORMANCE THAT PAYS.

WHEN YOU NEED SPEED, POWER AND ACCURACY TO NAVIGATE THE TOUGHEST OF SURFACES IN YOUR FIELD, TURN TO THE 9R TRACTORS.



WHEAT



CORN



SOYBEANS

COMFORT YOU ARE LOOKING FOR

When you are facing long days in the field, nothing is more welcome than a spacious and convenient cab to work in. John Deere now offers customers 2 Cab options. Select, and Ultimate Cab Options.

PRECISION AGRICULTURE

Technology that enables you to monitor performance and maximize your productivity. Key performance indicators can be monitored in map layers and dashboards tiles such as: **Actual Size, Rate Deviations, Pressure, Ground Speed and Drop Size and More**

PRESSURE RECIRCULATION

- The name of the game is Cost saving and Performance
- Save cost where pressure recirculation primes your boom, avoiding liquid to be sprayed out each time to get a uniform spraying pattern.
- And increase your performance with uniform distribution of product across your boom, as well as reducing nozzle clogging.

VISIBILITY

When long days turn into nights, there is no need to stop your operations, as the options are endless when it comes to selecting the right options of lighting packages that will suit your needs.

COMMANDDRIVE™

With the CommandDrive powertrain, save fuel, reduce cab noise, get improved traction in challenging conditions, and cover more acres per day.

- 20 percent or greater fuel savings
- More acres sprayed per day, thanks to fewer fuel stops and improved traction in rough conditions
- Reduced in-cab noise levels by 3 to 5 decibels
- Fewer demands on the operator

BOOMTRAC™ PRO 2

For the highest level of spray accuracy with less drift and reduced risk of boom damage, look to the BoomTrac Pro 2 automatic boom-height control system.

EXACT APPLY

Fertilizers and crop protection products are too expensive to waste, and seed is too valuable to risk over- or under-treating. To help make sure your solution is getting to the crop at exactly the right rate and droplet size across a wider range of speeds, John Deere offers ExactApply nozzle control system.





R4023

Rated Hp: 173hp
Solution Capacity: 2300L
Total Weight: 13757kg
Boom Length: 18/24.4 - 18/27.4m
Crops Clearance: 112 - 127cm
Spray Speed: 0 - 32km/h



408R

Rated Hp: 280hp
Solution Capacity: 3028L
Total Weight: 13757kg
Boom Length: 18/27.4 - 27/40.4m
Crops Clearance: 152cm
Spray Speed: 0 - 32km/h



410R

Rated Hp: 310hp
Solution Capacity: 3800L
Total Weight: 15055kg
Boom Length: 27.4 - 40.2m
Crops Clearance: 152cm
Spray Speed: 0 - 40km/h



612R

Rated Hp: 355hp
Solution Capacity: 4542L
Total Weight: 16962kg
Boom Length: 27.4 - 40.2m
Crops Clearance: 147cm
Spray Speed: 0 - 40km/h



412R

Rated Hp: 326hp
Solution Capacity: 3542.5L
Total Weight: 15125kg
Boom Length: 27.4 - 40.2m
Crops Clearance: 154cm
Spray Speed: 0 - 40km/h



616R

Rated Hp: 375hp
Solution Capacity: 6067L
Total Weight: 17225kg
Boom Length: 27.4 - 36.6m
Crops Clearance: 147cm
Spray Speed: 0 - 40km/h

Contact one of our
reputable dealers today.



This literature has been compiled for broad circulation in Africa Middle East. While general information, pictures and descriptions are provided, some illustrations and text may include finance product options and accessories not available in all regions. Please contact your local dealer for details. John Deere reserves the right to change specification and design of products described in this literature without notice. The green and yellow colour scheme, the leaping deer logo and the JOHN DEERE word mark are trademarks of Deere & Company.